

# **EU-TYPE EXAMINATION (MODULE B) CERTIFICATE**

# Radio Equipment Directive (RED) 2014/53/EU

# PHOENIX TESTLAB

Notified Body Number 0700



BNetzA-bS-02/51-55

This is to certify that:

Address

PHOENIX TEŚTLAB did undertake the relevant type examination procedures for the radio equipment identified below which was found to be in compliance with the essential requirements of Radio Equipment Directive (RED) 2014/53/EU subject to any conditions in the annex attached hereto.

Certificate No. 17-212195

Manufacturer Shenzhen Huaptec Co.,Ltd.

5th FL, E BLDG, Sogood Science Park, Hangkong Road, Xixiang, Bao'an, Shenzhen,

China

Product Description Mobile Signal Booster; Repeater with GSM

Brand Name / Model Name Huaptec / Hi23-ED, Hi10-ED, Hi13-ED, Hi17-ED,

Hi20-ED

The radio equipment meets the following essential requirements

Article 3.1 a): Health and Safety Conform

Article 3.1 b): Electromagnetic Compatibility Conform

Article 3.2: Effective and Efficient Use of Radio Spectrum Conform

Additional Essential Requirements: Not applicable

Date of issue 2017-08-17 Expiry date: 2022-08-16

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached annex are complied with. The conditions for the validity of this certificate are listed in the Annex.

The attached Annex forms part of this certificate. This certificate consists of 3 pages.

TESTLAB

Signed by Alan Lane Notified Body

Phone +49(0)5235-9500-24 Fax +49(0)5235-9500-28 notifiedbody@phoenix-testlab.de PHOENIX TESTLAB GmbH Königswinkel 10 D-32825 Blomberg, Germany www.phoenix-testlab.de

### Annex

# **Technical description**

GSM 900/1800 MHz: Frequency Range

> Uplink: 880 - 915 MHz, 1710 - 1785MHz Downlink: 925 - 960 MHz, 1805 - 1880MHz

**Transmit Power** Uplink:17dBm

Downlink: 23dBm

Hardware Version F25H0-2S Software Version F25H0-2S

**System Components** 

#### **Optional Components**

Adapter WT1203000

Input:100-240V, 50/60Hz, 1.6A; Output: 12V/3A

(Shenzhen Wentong Electronic Co.,Ltd.)

Outdoor Antenna Dipole Antenna, 9.0dBi (Max.) Indoor Antenna Dipole Antenna, 9.0dBi (Max.)

**RF** Cable Length: 50ft for Outdoor Cable, 30ft for Indoor Cable,

Shielded cable, without ferrite core

#### **Approval documentation**

External / Internal Photos Provided, 4 pages/ 3 pages User Manual User Manual, 21 pages

**Block Diagram** Provided,1 page Circuit Diagram Provided, 6 pages

Block diagram and Theory Circuit Description, 1 page Operational Description

**PCB** Layout Provided, 4 pages Parts Placement Provided, 3 pages Parts List Provided, 4 pages **EU Declaration of Conformity** 

3 pages, July 10, 2017

Explanation of compliance Article 10(2) and Article 10(10) Description in the User Manual

**Further Documents** Risk Assessment, 4 pages, July 10, 2017

Sample family of DoC Letter, 1 page, July 10, 2017



#### **Applied Standards and Test Reports**

Specification	Laboratory	Test Report Number / Version
EN 60950-1:2006+A11:2009+ A1:2010+A12:2011+A2:2013	Shenzhen LCS Compliance Testing Laboratory Ltd.	LCS170605048AS
EN 50385: 2002	Shenzhen LCS Compliance Testing Laboratory Ltd.	LCS170605051AE
ETSI EN 301 489-1 V2.1.1 ETSI EN 301 489-50 V2.1.1	Shenzhen LCS Compliance Testing Laboratory Ltd.	LCS170605049AE
ETSI EN 303 609 V12.5.1	Shenzhen LCS Compliance Testing Laboratory Ltd.	LCS170605050AE

#### **Limitations / Restrictions**

- The user shall be informed by the person placing the product onto the market if an individual licence may be required for using in EC member states.
- Operating Temperature range is -25 +55 degree Celsius.
- Body Separation distance is 50cm by using the procedure of MPE calculation.

#### **Notes**

- 1. This certificate will not be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with PHOENIX TESTLAB.
- 2. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/them being placed on the market.
- 3. The manufacturer shall take all measures necessary so that the manufacturing process and its monitoring ensure conformity of the manufactured radio equipment with the approved type described in the EU-type examination certificate and with the requirements of Directive 2014/53/EU that apply to it.
- 4. The manufacturer shall affix the CE marking to each item of radio equipment that is in conformity with the type described in the EU-type examination certificate and satisfies the applicable requirements of the Directive.
- 5. The manufacturer shall draw up a written EU declaration of conformity for each radio equipment type and keep it at the disposal of the national authorities for 10 years after the radio equipment has been placed on the market. The EU declaration of conformity shall identify the radio equipment type for which it has been drawn up. A copy of the EU declaration of conformity shall be made available to the relevant authorities upon request.

